

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	29	(saturate or saturating) and (fabric with layer) and (adhesive with film) and (heat with pressure) and (urethane or cyanate or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:39
L5	0	156/64.ccls. and (optimal with thickness) and (fabric with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:22
L6	0	156/64.ccls. and (optimal with thickness) and (fabric with quality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:22
L7	0	156/64.ccls. and (optimal with thickness) and (joint with quality)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:22
L8	0	156/64.ccls. and (control with thickness) and (fabric with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:22
L10	16	"156"/\$.ccls. and (control with thickness) and (fabric with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:32
L11	2	"156"/\$.ccls. and (thickness) and (fabric with joint) and (blimp or airship or dirigible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:34
L12	2	(thickness with control) and (fabric with joint) and (blimp or airship or dirigible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:34

L13	0	(thickness with control) and (fabric with joint) and (hull with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:34
L14	1	(thickness with control) and (fabric with joint) and (hull with section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:40
L15	8	(thickness with control) and (fabric with joint) and (thermoplastic with resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:41
L16	21	(thickness with control) and (fabric with joint) and (urethane or cyanate or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:41
L17	0	(thickness with control) and (fabric with joint) and (tarp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:42
L18	0	(thickness with controlling) and (fabric with joint) and (tarp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:09
L19	131	(thickness with controlling) and (fabric with layer) and (adhesive with film)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:51
L20	145	(156/304.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/06 13:59

L22	0	(thickness with controlling) and (textile with joint) and (tarp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:09
L23	2	(thickness with controlling) and (textile with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:09
L24	9	(void same (sensor or monitor or detector)) and (fabric and aircraft) and (heat and pressure) and (control and (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:38
L25	98	(void same (sensor or monitor or detector)) and (fabric and joint) and (heat and pressure) and (control and (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:38
L26	1	(void same (sensor or monitor or detector)) and (textile and joint) and (heat and pressure) and (control and (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:38
S21	1440	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/06 13:02
S22	425	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 18:09
S23	523	(156/359).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 16:28

S24	277	(156/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/06 13:59
S25	799	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 18:09
S26	232	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 15:20
S27	200	(S21 S22 S23 S24 S25 S26) and (fabric or cloth) and (heat and pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 20:37
S35	243	("156"/\$.ccls.) and (fabric and aircraft) and (heat and pressure) and (control and (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 14:37
S36	4	("156"/\$.ccls.) and (fabric and aircraft) and (heat and pressure) and (optimal near10 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:08
S37	16	("156"/\$.ccls.) and (fabric and composite) and (heat and pressure) and (optimal near10 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:08
S38	21	("156"/\$.ccls.) and (fiber and composite) and (heat and pressure) and (optimal near10 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:08

S39	0	(156/358.ccls. or 156/359.ccls. or 156/360.ccls.) and (fabric) and (heat and pressure) and (optimal near10 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:02
S40	3	(156/358.ccls. or 156/359.ccls. or 156/360.ccls.) and (fabric) and (heat and pressure) and (calculat\$4 near10 (value or number))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:08
S41	21	"156"/\$.ccls. and (fabric with joint) and (heat with pressure) and (tape or adhesive) and (TPU or urethane or polyurethane or isocyanate or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:42
S42	20	((("6,720,277") or ("6,693,052") or ("6,668,868") or ("6,548,430") or ("6,543,055") or ("6,266,818") or ("5,976,996") or ("5,837,623") or ("5,565,264") or ("20030111128") or ("20030091785") or ("20020124904") or ("20020122927") or ("20020111099") or ("20020106956") or ("20030104576") or ("20020074068") or ("20020016118") or ("20010029621") or ("20010002351")).PN.	US-PGPUB; USPAT	OR	OFF	2006/02/03 18:22
S43	595	charles.in. with howard.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 12:38
S44	4	((body with armor) or (airship)) and (fabric with joint) and (heat with pressure) and (tape or adhesive) and (TPU or urethane or polyurethane or isocyanate or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 20:34
S45	3	((body with armor) or (airship)) and (fabric with joint) and (heat with pressure) and (tape or adhesive) and (aramid or vectran)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 18:44

S46	1	(hull with portion) and (fabric with joint) and (heat with pressure) and (tape or adhesive) and (TPU or urethane or polyurethane or isocyanate or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 20:35
S47	1440	(156/64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S48	425	(156/358).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S49	523	(156/359).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S50	277	(156/360).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S51	799	(156/378).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S52	232	(156/379).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/03 20:37
S53	5	(S47 S48 S49 S50 S51 S52) and (fabric or cloth) and (heat and pressure) and (aramid or vectran)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 20:37

S54	65	charles.in. near2 howland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/05 15:40
S55	2	puncture with fabric and thermoplastic and (thickness with (optimal or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 02:13
S56	646	(156/304.3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/05 16:28
S57	367	(aramid or vectran) and thermoplastic and (thickness with (optimal or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/05 17:11
S58	1	(aramid or vectran) and thermoplastic and (thickness with (optimal or control)) and (blimp or airship or dirigible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/05 17:14
S59	43	(aramid or vectran) and thermoplastic and (thickness with (optimal or control)) and ("156"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/05 17:12
S60	56	(aramid or vectran) and (thermoplastic with resin) and (fiber with ratio) and (thickness with (optimal or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 01:36
S67	179	urethane and isocyanate and fabric and thermoplastic and (thickness with (optimal or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 02:13